L Number	Wite	Search Text	DB	Time stamp
14		nam\$3 adj3 (network or site)	USPAT;	2004/06/19 16:50
**	0309	lamps days (neemotic of site)	US-PGPUB;	
	•		EPO; JPO;	
			DERWENT;	
!			IBM_TDB	
15	5116	nam\$3 adj2 (network or site)	USPAT;	2004/06/19 16:50
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	2004/05/20 22 22
16	18	nam\$3 adj2 (logical adj network)	USPAT;	2004/06/19 18:00
			US-PGPUB; EPO; JPO;	
			DERWENT;	
			IBM TDB	
17	2	20030083931.did.	USPAT;	2004/06/19 18:00
	_		US-PGPUB;	,,
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	33		USPĀT;	2003/12/01 09:50
		address))	US-PGPUB;	
			EPO; JPO;	
1			DERWENT;	
		(diagovert) neart (physical add (lasstics as	IBM_TDB	2002/12/01 15:07
1 -	26	(discover\$3 near4 (physical adj (location or address))) and @ad<20010423	USPAT; US-PGPUB;	2003/12/01 16:27
		audiess/// and wad<20010423	EPO; JPO;	
			DERWENT;	
	•		IBM TDB	
-	2	("6570926").PN.	USPAT;	2003/12/01 13:22
]	_		US-PGPUB;	,
			EPO; JPO;	
]			DERWENT;	
]			IBM_TDB	
[-	1	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	USPAT;	2003/12/01 13:23
		with networks.ti.	US-PGPUB;	
			EPO; JPO;	
			DERWENT; IBM TDB	
_	34	(discover\$3 near4 ((physical adj (location	USPAT;	2003/12/01 16:31
		or address)) or (location or geographic\$5)	US-PGPUB;	
		adj information)) and @ad<20010423	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	24	(discover\$3 near4 ((physical adj (location	USPAT;	2003/12/01 16:37
		or address)) or (location or geographic\$5)	US-PGPUB;	
		adj information)) and @ad<20000424	EPO; JPO;	
			DERWENT;	
		(dotorminė) or discoverė) \i+h	IBM_TDB	2002/12/01 16 50
-	29	(determin\$3 or discover\$3) with (geographic\$3 or location) with	USPAT; US-PGPUB;	2003/12/01 16:52
		interface\$1!.ti. and @ad<20000424	EPO; JPO;	
		Intellacepii.ei. and Gade20000424	DERWENT;	
			IBM TDB	
_	484	(determin\$3 or discover\$3) near4	USPAT;	2003/12/01 16:53
j		(geographic\$3 or location) near5	US-PGPUB;	
		interface\$1! and @ad<20000424	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	2	((determin\$3 or discover\$3) near4	USPAT;	2003/12/01 17:14
		(geographic\$3 or location) near5	US-PGPUB;	
		interface\$1! and @ad<20000424) and (error	EPO; JPO;	
		adj range)	DERWENT;	
	_	(notife) or ployees) with (smaligation or	IBM_TDB	2002/12/12 12:04
-	5	<pre>(notif\$3 or alert\$3) with (application or service) with ((location or geographic\$4)</pre>	USPAT; US-PGPUB;	2003/12/13 12:24
		adj (information or data)) with (chang\$3 or	EPO; JPO;	
		alter\$3 or modify\$3)	DERWENT;	
			IBM TDB	
لـــــا		<u></u>		·

1	-	33	geographic\$3) adj (location or address)))	EPO; JPO;	2004/06/11 15:03
adj3 interface	-	1		IBM_TDB USPAT;	2004/06/11 15:09
Interface or adapter or modem) and ead-20010423 US-PGPUB; ead-20010423 EPG; JPG; DRWENT; IBM TDB USPAT; US-PGPUB; EPG; JPG; DRWENT; IBM TDB USPAT; USPA				EPO; JPO; DERWENT;	
2201 (location adj5 ((network adj interface) or adapter or modem)) and @ad<20010423 USPAT; US-PGPUB; PPO; JPO; DERNENT; IBM TDB USPAT; US-PGPUB; PPO; JPO; DERNENT;	-	0	interface) or adapter or modem)) and	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/06/11 15:11
2201 (location adj5 (((network adj interface) or adapter or modem))) and @adc20010423 US-PGPUB; EPO; JPO; DEFEMENT; LIBM TDB USPAT; Libm T	-	2201		USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/06/11 15:11
258	-	2201		USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/06/11 15:11
comput\$3) near4 ((physical or gepgraphic\$3) adj location adj5 (((network adj interface) or adapter or modem))) and @ad<20010423 EPO; JPO; DERWENT; IBM TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM	-	258	comput\$3) near4 (location adj5 (((network adj interface) or adapter or modem))) and @ad<20010423	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/06/11 15:13
US-PGPUB; EPO; JPO; DERWENT; IBM TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; EPO; JPO; DER	-	8	comput\$3) near4 ((physical or gepgraphic\$3) adj location adj5 (((network adj interface)	US-PGPUB; EPO; JPO; DERWENT;	
- 0 (mame with (network)) with application	-	2	20030110293.did.	US-PGPUB; EPO; JPO; DERWENT;	2004/06/12 15:56
- 0 provid\$3 adj3 (name near3 (logical adj network)) near4 application	-	0	(mame with (network)) with application	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/06/14 10:12
- 1 provid\$3 with (name near3 (logical adj network)) near4 application	-	0		USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/06/14 10:13
- 24842 locat\$3 adj4 network	-	1		USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/06/14 10:20
- 47 locat\$3 adj4 network near4 device near3 uspat; us-pgpuB; EPO; JPO; DERWENT; IBM_TDB uspat; us-pgpuB; EPO; JPO; DERWENT; attach\$3) and @ad<20000424 uspat; us-pgpuB; EPO; JPO; DERWENT; EPO; JPO; DERWENT;	-	24842	locat\$3 adj4 network	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/06/14 10:21
- 17 (locat\$3 adj4 network near4 device near3 uSPAT; uS-PGPUB; EPO; JPO; DERWENT;	-	47		USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/06/14 10:25
	-	17		USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/06/14 10:39

-	2	"20030110293"	USPAT; US-PGPUB;	2004/06/14 15:11
			EPO; JPO;	
			DERWENT;	
			IBM TDB	
-	578	(creat\$3 or generat\$3 or assign\$3 or nam\$3)	USPAT;	2004/06/14 15:15
		adj4 name adj3 network	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	2	(creat\$3 or generat\$3 or assign\$3 or nam\$3)	USPAT;	2004/06/14 15:17
		adj4 name adj3 (logical adj network) and	US-PGPUB;	
		@ad<20000424	EPO; JPO;	
			DERWENT; IBM TDB	
_	304	(creat\$3 or generat\$3 or assign\$3 or nam\$3)	USPAT;	2004/06/14 15:18
	301	adj4 name adj3 (network) and @ad<20000424	US-PGPUB;	1 2001, 00, 11 20120
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	3	(creat\$3 or generat\$3 or assign\$3 or nam\$3)	USPAT;	2004/06/14 15:23
		adj4 name adj3 (network) near3 location and	US-PGPUB;	
		@ad<20000424	EPO; JPO;	
			DERWENT;	
		(arouted or gonorated or aggined or name)	IBM_TDB USPAT;	2004/06/14 15:23
-	0	(creat\$3 or generat\$3 or assign\$3 or nam\$3 or construct\$3) adj4 name with (logical adj	USPAT; US-PGPUB;	2004/06/14 15:23
1		network) near3 location and @ad<20000424	EPO; JPO;	
	ļ	network) nears rocation and gad-20000424	DERWENT;	
			IBM TDB	
_	33	(creat\$3 or generat\$3 or assign\$3 or nam\$3	USPAT;	2004/06/14 16:00
		or construct\$3) adj4 name near4 (network)	US-PGPUB;	
		with location and @ad<20000424	EPO; JPO;	
			DERWENT;	
	ĺ		IBM_TDB	
-	2		USPAT;	2004/06/14 16:08
		near3 (connect\$3 near3 network) same (GUID	US-PGPUB;	
		or (global\$3 adj unique adj identifier)) and @ad<20000424	EPO; JPO; DERWENT;	
		@dd<20000424	IBM TDB	
_	36	(name or identifier or id or identification)	USPAT;	2004/06/14 16:22
		near3 (network) same (GUID or (global\$3 adj	US-PGPUB;	,,
		unique adj identifier)) and @ad<20000424	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	2	("5956038").PN.	USPAT;	2004/06/14 16:22
			US-PGPUB;	
			EPO; JPO; DERWENT;	
			IBM TDB	
_	2	("6664925").PN.	USPAT;	2004/06/15 18:09
	_	,	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	27	MOORE-TIMOTHY-M.in.	USPAT;	2004/06/15 18:18
			US-PGPUB;	
			EPO; JPO;	[
			DERWENT;	
_	2	20030083931.did.	IBM_TDB USPAT;	2004/06/15 18:30
_		20030003331.414.	US-PGPUB;	-001,00,15 10.50
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	2	unique\$3 with persistent\$3 adj3 identify\$3	USPAT;	2004/06/15 18:31
		adj3 network	US-PGPUB;	
1			EPO; JPO;	
			DERWENT;	
1	l		IBM_TDB	l

-	6641	identify\$3 adj3 network	USPAT;	2004/06/15 18:31
			US-PGPUB;	
			EPO; JPO;	
			DERWENT; IBM TDB	
	41	identify\$3 adj3 network same (discover\$3 or	USPAT;	2004/06/15 18:33
-	71	determin\$3 or identify\$3) adj4 ((physical or	US-PGPUB;	2004/00/13 10:33
		geographic\$5) adj location)	EPO; JPO;	
		seegaapuseys, and reconstruction,	DERWENT;	
1	1		IBM TDB	
-	23	(identify\$3 adj3 network same (discover\$3	USPAT;	2004/06/15 19:04
		or determin\$3 or identify\$3) adj4 ((physical	US-PGPUB;	
		or geographic\$5) adj location)) and	EPO; JPO;	
		@ad<20000424	DERWENT;	
		1	IBM_TDB	2004/05/15 12 04
-	3	location near4 ((network adj interface)	USPAT;	2004/06/15 19:04
		near3 computer) and @ad<20000424	US-PGPUB; EPO; JPO;	
			DERWENT;	
			IBM TDB	
l _	2	network adj location adj resolution adj	USPAT:	2004/06/16 10:02
		service adj provider	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	0	(contact\$3 or poll\$3) adj4 driver\$1! adj4	USPAT;	2004/06/16 10:07
		((network adj (interface or adapter)) or NIC\$1!) near4 connect\$5 adj5 network	US-PGPUB; EPO; JPO;	
		NIC\$1!) hear4 connect\$5 adj5 hetwork	DERWENT;	
			IBM TDB	
l _	0	(contact\$3 or poll\$3) adj4 driver\$1! with	USPAT;	2004/06/16 10:08
	_	((network adj (interface or adapter)) or	US-PGPUB;	
		NIC\$1!) near4 connect\$5 adj5 network	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	2	(contact\$3 or poll\$3) adj4 driver\$1! with	USPAT;	2004/06/16 10:09
		((network adj (interface or adapter)) or	US-PGPUB;	
		NIC\$1!) with connect\$5 with network	EPO; JPO;	
			DERWENT; IBM TDB	
i	2	(construct\$3 or creat\$3 or generat\$3 or	USPAT;	2004/06/16 10:14
	_	assign\$3) adj3 (name or identifer or id or	US-PGPUB;	
		identification) adj5 network adj3 connect\$3	EPO; JPO;	
		adj5 computer	DERWENT; .	
			IBM_TDB	
_	472		USPAT;	2004/06/16 10:14
		assign\$3) adj3 (name or identifer or id or identification) adj5 network	US-PGPUB;	
		Identification/ adjointwork	EPO; JPO; DERWENT;	
			IBM TDB	
-	253	((construct\$3 or creat\$3 or generat\$3 or	USPAT;	2004/06/16 10:49
		assign\$3) adj3 (name or identifer or id or	US-PGPUB;	
	į	identification) adj5 network) and	EPO; JPO;	
		@ad<20000424	DERWENT;	
			IBM_TDB	
-	21	(((construct\$3 or creat\$3 or generat\$3 or	USPAT;	2004/06/16 11:08
		assign\$3) adj3 (name or identifer or id or identification) adj5 network) and	US-PGPUB;	
		add<20000424) and ((discover\$3 or	EPO; JPO; DERWENT;	
		determin\$3) adj4 (location))	IBM TDB	
-	0		USPAT;	2004/06/16 11:22
		gather\$3) adj4 ((network near3 (connection))	US-PGPUB;	, ,
		or interface) same ((creat\$3 or construct\$3	EPO; JPO;	
		or nam\$3 or generat\$3 or assign\$3) adj4	DERWENT;	
		((site or network) adj name)))	IBM_TDB	
-	335	((creat\$3 or construct\$3 or nam\$3 or	USPAT;	2004/06/16 11:39
	[generat\$3 or assign\$3) adj4 ((site or network) adj name))	US-PGPUB; EPO; JPO;	
	[Hetwork/ adj Hame//	DERWENT;	
			IBM TDB	
	·			

-	194	',',	USPAT;	2004/06/16 18:40
		generat\$3 or assign\$3) adj4 ((site or	US-PGPUB;	
		network) adj name))) and @ad<20000424	EPO; JPO;	
			DERWENT;	
	0	((creat\$3 or construct\$3 or nam\$3 or	IBM_TDB USPAT;	2004/06/16 11:36
-		generat\$3 or assign\$3) adj4 ((site or	US-PGPUB;	2004/06/16 11:36
		network) adj name)) with (unique\$3 with	EPO; JPO;	
İ	1	persistent\$2)	DERWENT;	
		persiscency2/	IBM TDB	
-	1	((creat\$3 or construct\$3 or nam\$3 or	USPAT;	2004/06/16 11:40
	_	generat\$3 or assign\$3) adj4 ((site or	US-PGPUB;	,,
		network) adj name)) same ((interface adj id)	EPO; JPO;	
		or GUID) and @ad<20000424	DERWENT;	
			IBM_TDB	
-	0	• • • • • • • • • • • • • • • • • • •	USPAT;	2004/06/16 15:43
		collect\$3 or gather\$3 or determin\$3) adj4	US-PGPUB;	
		(NIC or (network adj interce)) with	EPO; JPO;	
		((network or site) adj (name or label or	DERWENT;	
	_	identifer or id or alias)) and @ad<20010423	IBM_TDB	
-	2	1	USPAT;	2004/06/16 15:48
1		collect\$3 or gather\$3 or determin\$3) adj4	US-PGPUB;	
		(NIC or (network adj interce)) with	EPO; JPO;	
		((network or site) near3 (name or label or identifer or id or alias)) and @ad<20010423	DERWENT;	
1_	2	(discover\$3 or recogniz\$3 or identify\$3 or	IBM_TDB USPAT;	2004/06/16 15:48
	_	collect\$3 or gather\$3 or determin\$3) near5	US-PGPUB;	2004/00/10 15:48
		(NIC or (network adj interce)) with	EPO; JPO;	:
		((network or site) near3 (name or label or	DERWENT;	
		identifer or id or alias)) and @ad<20010423	IBM TDB	
-	2	1	USPAT;	2004/06/16 15:48
		collect\$3 or gather\$3 or determin\$3) with	US-PGPUB;	
		(NIC or (network adj interce)) with	EPO; JPO;	
		((network or site) near3 (name or label or	DERWENT;	
	1	identifer or id or alias)) and @ad<20010423	IBM_TDB	
-	18		USPAT;	2004/06/16 16:30
		((network or site) near3 (name or label or	US-PGPUB;	
		identifer or id or alias)) and @ad<20010423	EPO; JPO;	
			DERWENT;	
	30	(NIC or (network adj interce)) same	IBM_TDB USPAT;	2004/06/16 16:44
	1	((network or site) near3 (name or label or	US-PGPUB;	2004/00/18 18:44
	•	identifer or id or alias)) and @ad<20010423	EPO; JPO;	
			DERWENT;	
			IBM TDB	
-	2488086	(name\$3 or map\$4 or creat\$3 or generat\$3 or	USPAT;	2004/06/16 16:47
		construct\$3 or assign\$3) near5	US-PGPUB;	
	-	(identification or name or label or	EPO; JPO;	
		identifer or id or alias) near\$3 (network	DERWENT;	
	_	or site) and @ad<20010423	IBM_TDB	
1 -	3496		USPAT;	2004/06/16 16:48
ì		construct\$3 or assign\$3) near5	US-PGPUB;	
		(identification or name or label or identifer or id or alias) near3 (network or	EPO; JPO;	
		identifer or id or alias)	DERWENT; IBM TDB	
<u>-</u>	1	l '	USPAT;	2004/06/16 16:52
		creat\$3 or generat\$3 or construct\$3 or	US-PGPUB;	2004/00/10 10.52
		assign\$3) near5 (identification or name or	EPO; JPO;	
		label or identifer or id or alias) near3	DERWENT;	
		(network or site) same (configur\$3 with	IBM TDB	
		(NIC\$1! or (network adj interface\$1!) or	_	
		adapter\$1!)) and @ad<20010423		
-	2		USPAT;	2004/06/16 16:53
		construct\$3 or assign\$3) near5	US-PGPUB;	
		(identification or name or label or	EPO; JPO;	
		identifer or id or alias) near3 (network or	DERWENT;	
		site) same (configur\$3 with (NIC\$1! or	IBM_TDB	
		<pre>(network adj interface\$1!) or adapter\$1!)) and @ad<20010423</pre>		
L	<u> </u>	and made 20010423		

_	76	(name\$3 or map\$4 or creat\$3 or generat\$3 or construct\$3 or assign\$3) near5 (identification or name or label or identifer or id or alias) near3 (network or site) and (configur\$3 with (NIC\$1! or (network adj interface\$1!) or adapter\$1!)) and @ad<20010423	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/16 16:53
-	16		USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/06/16 18:49
-	11	((table or list or structure) with (network adj ID) with (interface or NIC or adapter or modem)) and @ad<20000424	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/06/16 18:41
-	1	(table or list or structure) with (network adj (ID or name or identifier or identification)) with GUID	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/06/16 18:48
-	1	(table or list or structure) with (network adj (ID or name or identifier or identification)) same GUID	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/06/16 18:47
-	3	<pre>(table or list or structure) with (network adj (name or identification or identifier or ID)) with ((interface or NIC or adapter or modem) adj (id or name or identifier or identification))</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/06/16 18:54
-	6	(table or list or structure) same (network adj (name or identification or identifier or ID)) with ((interface or NIC or adapter or modem) adj (id or name or identifier or identification))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/06/16 19:02
-	25	1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/06/16 19:03
, -	67	assign\$3 adj3 name adj4 (network or site)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/06/17 10:03
_	37	(assign\$3 adj3 name adj4 (network or site)) and @ad<20000424	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/06/17 08:49
-	270	(assign\$3 or map\$4) adj3 (name or alias or id) adj4 (network or site)	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/06/17 10:04
-	132	((assign\$3 or map\$4) adj3 (name or alias or id) adj4 (network or site)) and @ad<20000424	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/06/17 14:16
-	2	("6493751").PN.	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/06/17 14:16
-	o	(network adj (id or name or alias)) with (NIC adj (ID or number))	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/17 16:57

				
-	23	(network adj (id or name or alias)) with ((NIC or interface or card or adapter) adj	USPAT; US-PGPUB; EPO; JPO;	2004/06/17 16:58
		(ID or number))	DERWENT; IBM TDB	
-	31	((site or network) adj (id or name or alias)) with ((NIC or interface or card or adapter) adj (ID or number))	USPAT; US-PGPUB; EPO; JPO;	2004/06/17 17:00
			DERWENT; IBM_TDB	
-	8	<pre>(((site or network) adj (id or name or alias)) with ((NIC or interface or card or adapter) adj (ID or number))) and @ad<20000424</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/06/17 17:00
-	6667	identify\$3 adj3 network	IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2004/06/18 14:07
			DERWENT; IBM TDB	
-	335	identify\$3 adj3 network same ((physical or geographic\$50 adj location))	USPAT; US-PGPUB; EPO; JPO;	2004/06/18 14:07
			DERWENT; IBM_TDB	
_	151	(identify\$3 adj3 network same ((physical or geographic\$50 adj location))) and @ad<20000424	USPAT; US-PGPUB; EPO; JPO;	2004/06/18 16:35
			DERWENT; IBM_TDB	
-	4	(identify\$3 or discover\$3 or determin\$3) adj ((logical adj network) or site) with (computer or device) near4 (connected or attached) and @ad<20000424	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/06/18 17:12
-	12	(identify\$3 or discover\$3 or determin\$3) adj ((logical adj network) or site) same (computer or device) near4 (connected or	IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2004/06/18 17:14
		attached) and @ad<20000424	DERWENT; IBM_TDB	
-	19	(identify\$3 or discover\$3 or determin\$3) adj2 ((logical adj network) or site) same (computer or device) near4 (connected or attached) and @ad<20000424	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/06/19 11:42
-	39	(creat\$3 or generat\$3 or assign\$3) adj3 (alias or name) adj4 (site)	IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2004/06/18 17:28
			DERWENT; IBM_TDB	
-	0	("{networkadjlocationadjresolutionadjservicead	ijiskānider)" US-PGPUB; EPO; JPO; DERWENT;	2121004/06/19 11:34
-	2	network adj location adj resolution adj service adj provider	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/06/19 11:35
-	1029	(identify\$3 or discover\$3 or determin\$3) adj7 ((network) or site) same (computer or	IBM_TDB USPAT; US-PGPUB;	2004/06/19 11:43
		device) near7 (connected or attached) and @ad<20000424	EPO; JPO; DERWENT; IBM TDB	
-	513	(identify\$3 or discover\$3 or determin\$3) adj7 ((network) or site) with (computer or device) near7 (connected or attached) and	USPAT; US-PGPUB; EPO; JPO;	2004/06/19 11:43
		@ad<20000424	DERWENT; IBM TDB	

-	214	(709/(223,220-221,250).ccls.) and	USPAT;	2004/06/19 14:10
		((identify\$3 or discover\$3 or determin\$3)	US-PGPUB;	, ,
ì	ļ	adi7 ((network) or site) with (computer or	EPO; JPO;	
i i		device) near7 (connected or attached) and	DERWENT;	
		@ad<20000424)	IBM_TDB	
_	919163	GUID nea3 (modem or interface or NIC)	USPAT;	2004/06/19 14:10
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;]
			IBM_TDB	, ,
-	68	GUID near3 (modem or interface or NIC)	USPAT;	2004/06/19 14:11
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;]
			IBM_TDB	
-	29	(GUID near3 (modem or interface or NIC)) and	USPAT;	2004/06/19 14:12
	1	@ad<20000424	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	